



# SOLGA

DIAMANT

**KATALÓG s CENAMI 2020**

## **UNI servis HAMIL - MILAN HABÁNEK**

predaj a servis elektrického náradia a záhradnej techniky:

**NAREX • FESTOOL • METABO • MAKITA • MILWAUKEE • BOSCH • FLEX • FEIN  
DEWALT • BLACK&DECKER • AEG • REBIR • IRWIN • LENOX • BECO • SOLGA**

**[www.uniservis.sk](http://www.uniservis.sk)**

**Legionárska 30 • 911 01 Trenčín**

**tel.: +421 32 6522 688 • mobil: +421 905 329 762 • mobil: +421 918 486 038**

**e-mail: [hamil@uniservis.sk](mailto:hamil@uniservis.sk)**



## Vrtáky pre jdrové vrtanie betónu mokré vrtanie UNC

Diamantové vrtáky sú zvárané laserovým systémom, pre špeciálne vrtáky mimo skladu môžu byť zvárané i indukčne s príplatkom 15 %. V prípade že zákazník potrebuje štandardný priemer, je možné pri výrobe štandardného vrtáku je možné vykonať laserové zváranie.


**BONDS**

We offer different bonds according to the work requirements:

- HARD CONCRETE**
  - Designed for calcareous concretes
  - Easy drilling, minimizing vibrations
  - Low aggressiveness and smooth cut when drilling concrete with iron
  - Available with TURBO LASER & LASER segments
- MEDIUM CONCRETE**
  - Designed for concretes with some abrasion
  - Higher duration than **HARD CONCRETE**
  - Excellent life / speed ratio
  - Available with TURBO LASER & LASER segments
- ABRASIVE CONCRETE**
  - Designed for materials with abrasion
  - High performance segment
  - Recommended for very high power electrical and hydraulic machines
  - Available with LASER segment

Segment Bond selection according to the drilling performance

Bond selection according to drilling



### PIN HOLE IN BLADES

#### Upevnenie segmentov 1"1/4 UNC - dĺžka 450 mm - RING - Laser

kód	descripción	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4270301233	BR.HORM RIF	Ø12	12	2.5		6	2	1				45.70
4270101433	BR.HORM RIF	Ø14	14	2.5		6	2	1				50.90
4270101633	BR.HORM RIF	Ø16	16	2.5		6	2	1				51.85
4270101833	BR.HORM RIF	Ø18	18	2.5		6	2	1				51.85



#### Upevnenie 1"1/4 UNC - L 450 mm - SEGMENTED - INDUCTION

kód	descripción	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4242102010	DRILL BIT HO	Ø20	15	3		8	2	3				57.40
4241102210	DRILL BIT HO	22	15	3	3	8	2	3	1"1/4		1.5	55.85
4242102510	DRILL BIT HO	25	15	3.3	3.3	8	2	3	1"1/4		1.5	57.40



#### Upevnenie 1"1/4 UNC - L 450 mm - SEGMENTED - Laser

kód	descripción	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243102833	#N/A	28	15	3	3	8	2	3	1 1"1/4		1.5	47.75
4243103033	DRILL BIT HO	30	15	3	3	8	2	3	1 1"1/4		1.5	42.55
4243103233	DRILL BIT HO	32	15	3	3	8	2	4	1"1/4		2	48.55
4243103533	DRILL BIT HO	35	15	3	3	8	2	5	1"1/4		1.5	50.90
4243104233	DRILL BIT HO	42	15	3	3	8	2	6	1"1/4		2	61.60
4243105233	DRILL BIT HO	52	24	3.5	3.5	8	2	5	1"1/4	*	2	55.65
4243106233	DRILL BIT HO	62	24	3.5	3.5	8	2	6	1"1/4		2	58.70
4243107233	DRILL BIT HO	72	24	3.5	3.5	8	2	7	1"1/4		2	61.40
4243608233	DRILL BIT HO	82	24	3.5	3.5	8	2	8	1"1/4		2	70.85
4243109233	DRILL BIT HO	92	24	3.5	3.5	8	2	9	1"1/4		2	79.60
4243110233	DRILL BIT HO	102	24	3.5	3.5	8	2	10	1"1/4		2	87.10
4243110733	DRILL BIT HO	107	24	3.5	3.5	8	2	9	1"1/4		2	95.35
4243111233	DRILL BIT HO	112	24	3.5	3.5	8	2	10	1"1/4		2	98.40
4243112233	DRILL BIT HO	122	24	3.5	3.5	8	2	11	1"1/4		2	103.50
4243112733	DRILL BIT HO	127	24	3.5	3.5	8	2	11	1"1/4		2	112.60
4243113233	DRILL BIT HO	132	24	3.5	3.5	8	2	11	1"1/4		2	115.15
4243114233	DRILL BIT HO	142	24	3.5	3.5	8	2	12	1"1/4		2	130.80
4243115233	DRILL BIT HO	152	24	4	4	8	2	13	1"1/4		2.5	143.45
4243116233	DRILL BIT HO	162	24	4	4	8	2	13	1"1/4		2.5	144.30
4243117233	DRILL BIT HO	172	24	4	4	8	2	13	1"1/4		2.5	149.10
4243118233	DRILL BIT HO	182	24	4	4	8	2	14	1"1/4		2.5	161.30
4243120233	DRILL BIT HO	200	24	4	4	8	2	15	1"1/4		2.5	172.10
4243122533	DRILL BIT HO	225	24	4.5	4.5	8	2	16	1"1/4		2.5	264.90
4243125233	DRILL BIT HO	250	24	4.5	4.5	8	2	17	1"1/4		2.5	304.35



#### Upevnenie 1"1/4 UNC - L 450 mm - SEGMENTED - INDUCTION

kód	descripción	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243127510	DRILL BIT HO	275	20	5	5	8	2	18	1"1/4 - 3T		3	375.30
4243130210	DRILL BIT HO	300	20	5	5	8	2	21	1"1/4 - 3T		3	434.05
4243132510	DRILL BIT HO	325	20	5	5	8	2	22	1"1/4 - 3T		3	516.30
4243135210	DRILL BIT HO	350	20	5	5	8	2	22	1"1/4 - 3T		3	511.40
42431402	DRILL BIT HO	400	20	5	5	8	2	24	1"1/4 - 3T		3	592.60
42431452	DRILL BIT HO	450	20	5	5	8	2	26	1"1/4 - 6T		3	644.05
42431502	DRILL BIT HO	500	20	5	5	8	2	30	1"1/4 - 6T		3	745.75
42461602	DRILL BIT HO	602	20	5	5	8	2	38	1"1/4 - 6T		3	983.05
42461702	DRILL BIT HO	702	20	5	5	8	2	46	1"1/4 - 6T		3	1,254.55
42461802	DRILL BIT HO	802	20	5	5	8	2	48	1"1/4 - 6T		3	1,602.90

**Upevnenie 1"1/4 UNC - L 600 mm - SEGMENTED - Laser**

kód	descripción	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243603233	DRILL BIT HO	32	15	3	3	8	2	4	1"1/4		1.5	46.00
4243603533	DRILL BIT HO	35	15	3	3	8	2	5	1"1/4		1.5	41.75
4243604233	DRILL BIT HO	42	15	3	3	8	2	6	1"1/4		2	60.45
4243605233	DRILL BIT HO	52	24	3.5	3.5	8	2	5	1"1/4		2	54.55
4242606233	DRILL BIT HO	62	24	3.5	3.5	8	2	6	1"1/4		2	61.90
4243607233	DRILL BIT HO	72	24	3.5	3.5	8	2	7	1"1/4		2	66.50
4242608233	DRILL BIT HO	82	24	3.5	3.5	8	2	8	1"1/4		2	76.70
4243609233	DRILL BIT HO	92	24	3.5	3.5	8	2	9	1"1/4		2	86.25
4243610233	DRILL BIT HO	102	24	3.5	3.5	8	2	10	1"1/4		2	94.15
4243611233	DRILL BIT HO	112	24	3.5	3.5	8	2	10	1"1/4		2	107.60
4243612233	DRILL BIT HO	122	24	3.5	3.5	8	2	11	1"1/4		2	112.50
4243613233	DRILL BIT HO	132	24	3.5	3.5	8	2	11	1"1/4		2	117.20
4243614233	DRILL BIT HO	142	24	3.5	3.5	8	2	12	1"1/4		2	149.25
4242615233	DRILL BIT HO	152	24	4	4	8	2	13	1"1/4		2.5	161.70
4243616233	DRILL BIT HO	162	24	4	4	8	2	13	1"1/4		2.5	164.80
4243617233	DRILL BIT HO	172	24	4	4	8	2	13	1"1/4		2.5	181.50
4243618233	DRILL BIT HO	182	24	4	4	8	2	14	1"1/4		2.5	197.50
4246622533	DRILL BIT HO	225	24	4.5	4.5	8	2	16	1"1/4		2.5	322.30
4243625233	DRILL BIT HO	250	24	4.5	4.5	8	2	17	1"1/4 - 3T		2.5	339.50
4243630210	DRILL BIT HO	300	24	5	5	8	2	21	1"1/4 - 3T		3	465.70
4246635210	DRILL BIT HO	350	24	5	5	8	2	22	1"1/4 - 3T		3	579.15
42436402	DRILL BIT HO	400	20	5	5	8	2	24	1"1/4 - 3T		3	755.10
42436602	DRILL BIT HO	Ø602	20	5	5	8	2	38	1"1/4 - 3T		3	1,171.30
42436702	DRILL BIT HO	Ø702	20	5	5	8	2	46	1"1/4 - 3T		3	1,614.50
42436802	DRILL BIT HO	Ø802	20	5	5	8	2	48	1"1/4 - 3T		3	1,884.55


**Upevnenie 1"1/4 UNC - L 1000 mm - SEGMENTED - Laser**

kód	descripción	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243B03233	DRILL BIT HO	32	15	3.3	3.3	8	2	4	1"1/4		1.5	77.15
4243B03533	DRILL BIT HO	35	15	3	3	8	2	5	1"1/4		1.5	104.05
4243B05233	DRILL BIT HO	52	24	3.5	3.5	8	2	5	1"1/4		2	83.70
4243B06233	DRILL BIT HO	62	24	3.5	3.5	8	2	6	1"1/4		2	88.00
4243B07233	DRILL BIT HO	72	24	3.5	3.5	8	2	7	1"1/4		2	118.25
4246B08233	DRILL BIT HO	82	24	3.5	3.5	8	2	8	1"1/4		2	111.85
4246B09233	DRILL BIT HO	92	24	3.5	3.5	8	2	9	1"1/4		2	123.10
4243B10233	DRILL BIT HO	102	24	3.5	3.5	8	2	10	1"1/4		2	128.75
4243B11233	DRILL BIT HO	Ø102	24	3.5	3.5	8	2	10	1"1/4		2	129.15
4243B12233	DRILL BIT HO	122	24	3.5	3.5	8	2	11	1"1/4		2	144.60
4246B13233	DRILL BIT HO	132	24	3.5	3.5	8	2	11	1"1/4		2	159.17
4243B15233	DRILL BIT HO	152	24	4	4	8	2	13	1"1/4		2.5	239.60
4243B16233	DRILL BIT HO	Ø162	24	4	4	8	2	13	1"1/4		2	246.70
4246B17233	DRILL BIT HO	172	24	4	4	8	2	13	1"1/4		2.5	282.40
4246B18233	DRILL BIT HO	182	24	4	4	8	2	14	1"1/4		2.5	337.80
4243B20233	DRILL BIT HO	200	24	4	4	8	2	15	1"1/4		2.5	341.40
4246B22533	DRILL BIT HO	225	24	4.5	4.5	8	2	16	1"1/4		2.5	400.30
4243B25233	DRILL BIT HO	250	24	4.5	4.5	8	2	17	1"1/4 - 3T		2.5	343.00

**Upevnenie 1"1/4 UNC - L 1000 mm - SEGMENTED - INDUCTION**

kód	descripción	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243B30210	DRILL BIT HO	302	24	5	5	8	2	21	1"1/4 - 3T		3	742.90
4243B35210	DRILL BIT HO	Ø352	24	5	5	8	2	22	1"1/4 - 3T		3	899.90
4246B402	DRILL BIT HO	Ø402	20	5	5	8	2	24	1"1/4 - 3T		3	1,058.00
4243B452	DRILL BIT HO	Ø452	20	5	5	8	2	26	1"1/4 - 3T		3	1,233.90
4243B502	DRILL BIT HO	Ø502	20	5	5	8	2	30	1"1/4 - 6T		3	1,512.90
4243B602	DRILL BIT HO	Ø602	20	5	5	8	2	38	1"1/4 - 6T		3	1,732.45
4243B702	DRILL BIT HO	Ø702	20	5	5	8	2	46	1"1/4 - 6T		3	2,095.00
4243B802	DRILL BIT HO	Ø802	20	5	5	8	2	48	1"1/4 - 6T		3	2,695.20


**Upevnenie 1"1/4 UNC - LENGHT 1500 mm - SEGMENTED - Laser**

kód	descripción	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4246D03233	DRILL BIT HO	32	15	3	3	8	2	4	1"1/4		1.5	109.00
4246D03533	DRILL BIT HO	35	15	3.1	3.1	8	2	5	1"1/4		1.5	121.50
4246D05233	DRILL BIT HO	52	24	3.5	3.5	7.2	2	5	1"1/4		2	134.65
4243D06233	DRILL BIT HO	62	0	0	0	0	0	6	1"1/4		2	140.80
4246D07233	DRILL BIT HO	72	24	3.5	3.5	7.2	2	7	1"1/4		2	149.50
4246D08233	DRILL BIT HO	82	24	3.5	3.5	7.2	2	8	1"1/4		2	157.25
4246D09233	DRILL BIT HO	92	24	3.5	3.5	7.2	2	9	1"1/4		2	162.25
4243D10233	DRILL BIT HO	102	24	3.5	3.5	8	2	10	1"1/4		2	180.05
4246D11233	DRILL BIT HO	112	24	3.5	3.5	7.2	2	10	1"1/4		2	200.75
4246D12233	DRILL BIT HO	122	24	3.5	3.5	7.2	2	11	1"1/4		2	228.50
4246D13233	DRILL BIT HO	132	24	3.5	3.5	7.2	2	11	1"1/4		2	241.05
4246D15233	DRILL BIT HO	152	24	4	4	7.2	2	13	1"1/4		2.5	223.25
4243D16233	DRILL BIT HO	162	24	4.5	4.5	8	2	13	1"1/4		2.5	344.10
4246D17233	DRILL BIT HO	172	24	4	4	7.2	2	13	1"1/4		2.5	374.15
4246D18233	DRILL BIT HO	182	24	4	4	7.2	2	14	1"1/4		2.5	430.75
4243D20233	DRILL BIT HO	200	24	4	4	8	2	15	1"1/4		2.5	435.65
4246D22533	DRILL BIT HO	225	24	4.5	4.5	7.2	2	16	1"1/4-6T		2.5	910.70
4246D25233	DRILL BIT HO	250	24	4.5	4.5	7.2	2	17	1"1/4 - 6T		2.5	91.35

**Upevnenie 1 1/4 UNC - L 1500 mm - SEGMENTED - INDUCTION**

kód	descripción	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243D30210	DRILL BIT HO	Ø302	24	5		8	2	21	1"1/4 - 3T		3	1,010.20
4243D35210	DRILL BIT HO	Ø352	24	5		8	2	22	1"1/4 - 3T		3	1,115.00
4243D402	DRILL BIT HO	Ø402	20	5		8	2	24	1"1/4 - 3T		3	1,230.80
4243D452	DRILL BIT HO	Ø452	20	5		8	2	26	1"1/4 - 3T		3	1,709.35
4243D502	DRILL BIT HO	Ø502	20	5		8	2	30	1"1/4 - 6T		3	1,911.70
4243D602	DRILL BIT HO	Ø602	20	5		8	2	38	1"1/4 - 6T		3	2,103.85
4243D702	DRILL BIT HO	Ø702	20	5		8	2	46	1"1/4 - 6T		3	2,752.35
4243D802	DRILL BIT HO	Ø802	20	5		8	2	48	1"1/4 - 6T		3	3,533.20

**Adaptéry pre vrtáky 1 1/4 UNC**

kód	descripción	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
42901111	ADAPT.MAQ. ADAPT.MAQ.1"1/4 HEMB A BROCA 1/2" HEMBRA											20.45
42901100	ALARGO DE 1 ALARGO DE 100 MM.BROCA 1"1/4 MACHO-HEMBR											36.50
42901200	ALARGO DE 2 ALARGO DE 200 MM.BROCA 1"1/4 MACHO-HEMBR											57.97
42901300	ALARGO DE 3 ALARGO DE 300 MM.BROCA 1"1/4 MACHO-HEMBR											64.00
42901400	ALARGO DE 4 ALARGO DE 400 MM.BROCA 1"1/4 MACHO-HEMBR											69.60
42901500	ALARGO DE 5 ALARGO DE 500 MM.BROCA 1"1/4 MACHO-HEMBR											68.10


**Adeptéry pre pre vrtáky 1 1/4 UNC**

kód	descripción	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4297H3M0	A.HILTY DD2(A.HILTY DD200/300/500 21RAN HM A 1"1/4MA											453.20
4297M0H0	ADAP.HILTY ( ADAP.HILTY SDS-D1 3 RAN.MACH A 1/2" HMBR											186.50
4297M1H0	ADAP.HILTY ( ADAP.HILTY SDS-D1 3 RAN.MCH A 1"1/4 MCH											186.20
4298M0M0	A.HILTY SDS-(A.HILTY SDS-D2 6 RAN.MACH A 1"1/4M											199.40

2020

**DIAMANTOVÉ KORUNKY s upínaným 1/2" GAS na vrtanie do betónu**

**UPEVNIENIE 1/2" GAS - L 350 mm - SEGMENTED - INDUCTION**

kód	PIN HOLE IN	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243002210	PIN HOLE I	22	15	3.3	3.3	7	1	3	1		1	43.80
4243002410	DRILL BIT F	24	15	3.2	3.2	7	1	3	1		1	43.80
4243002510	DRILL BIT F	25	15	3.2	3.2	7	1	3	1		1	43.80
4243002710	DRILL BIT F	27	15	3.2	3.2	7	1	3	1		1	45.75
4243002810	DRILL BIT F	28	15	3.2	3.2	7	1	3	1		1	46.30

**UPEVNIENIE 1/2" GAS - L 350 mm - SEGMENTED - Laser**

kód	PIN HOLE IN	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243003033	DRILL BIT F	30	15	3	3	8	2	4	1		1	37.75
4243003233	DRILL BIT F	32	15	3	3	8	2	4	1		1	36.85
4243003533	DRILL BIT F	35	15	3	3	8	2	5	1		1	46.20
4243003833	DRILL BIT F	38	15	3	3	8	2	5	1		1	49.10
4243004233	DRILL BIT F	42	15	3	3	8	2	6	1		1	54.20
4243004733	DRILL BIT F	47	15	3.3	3.3	8	2	6	1		1	56.00
4243005233	DRILL BIT F	52	24	3.5	3.5	8	2	5	1		1	51.20
4243006233	DRILL BIT F	62	24	3.5	3.5	8	2	6	1		1	57.50
4243007233	DRILL BIT F	72	24	3.5	3.5	8	2	7	1		1	60.50
4243008233	DRILL BIT F	82	24	3.5	3.5	8	2	8	1		1	72.50
4243009233	DRILL BIT F	92	24	3.5	3.5	8	2	9	1		1	81.90
4243010233	DRILL BIT F	102	24	3.5	3.5	8	2	10	1		1	90.10

**UPEVNIENIE 1/2" GAS - L 1000 mm - SEGMENTED - Laser**

kód	PIN HOLE IN	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243B03233	DRILL BIT F	32	15	3.3	3.3	8	2	4	1"1/4		1.5	64.85
4243B03533	DRILL BIT F	35	15	3	3	8	2	5	1"1/4		1.5	104.05

**UPEVNIENIE 1/2" GAS - L 1500 mm - SEGMENTED - Laser**

kód	PIN HOLE IN	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4243D03233	DRILL BIT F	Ø32	15	3.3	3.3	8	2	4				112.00
4243D03533	DRILL BIT F	Ø35	15	3	3	8	2	5				141.30

**PRIPOJENIE JADROVÝCH VRTÁČIEK CONNECTION 1/2" GAS**

kód	PIN HOLE IN	Ø	dlžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
42900111	ADAPT.MA ADAPT.MAQ.1/2" MACHO A BROCA 1"1/4 MACHO											20.25
42900100	ALARGO 1( ALARGO 100 mm DRILL BIT 1/2" Macho-Hembra											33.50
42900200	ALARGO 2( ALARGO 200 mm DRILL BIT 1/2" Macho-Hembra											37.20
42900300	ALARGO 3( ALARGO 300 mm DRILL BIT 1/2" Macho-Hembra											47.20
42900400	ALARGO 4( ALARGO 400 mm DRILL BIT 1/2" Macho-Hembra											65.65

2020

## JADROVÉ VŘTÁKY DO BETÓNU GAS TURBO

NEVYRÁBAJÚ SA TURBO 1/2 GAS V MALÝCH PRIEMEROCH !!



### Vřtáky 1/2" GAS - L 350 mm - SEGMENTOVÉ - Laser TYPE TURBO

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4246002210	PIN HOLE I	22	15	3.4	3.4	8	0	3	1		1	43.80
4244005233	DRILL BIT F	52	24	3.15	3.15	10	2	5	1		1	52.10
4244006233	DRILL BIT F	62	24	3.15	3.15	10	2	6	1		1	56.30
4244007233	DRILL BIT F	72	24	3.15	3.15	10	2	7	1		1	61.90
4244008233	DRILL BIT F	82	24	3.15	3.15	10	2	8	1		1	74.00
4244009233	DRILL BIT F	92	24	3.15	3.15	10	2	9	1		1	83.55
4244010233	DRILL BIT F	102	24	3.15	3.15	10	2	10	1/2"		2	94.75
4244011233	DRILL BIT F	112	24	3.15	3.15	10	2	10	1/2"		2	107.35

### VŘTÁKY 1/2" GAS - L350 mm - SEGMENTOVÉ - INDUCT TYPE TURBO

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4244013810	DRILL BIT F	138	24	3.15	3.15	10	2	11	1		1	170.50

2020



## Vřtáky do betónu RING



### PRIPOJENIE 1/2" GAS - DĹŽKA 350 mm - Laser

kód	PIN HOLE IN	Ø	dĺžka.	hrúb.1	#N/A	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4270001233	PIN HOLE I	12	12	2.5	2.5	6	2	1	1		1	36.20
4270001433	BR.HORM	14	14	2.5	2.5	6	2	1	1		1	35.65
4270001633	BR.HORM	16	16	2.5	2.5	6	2	1	1		1	36.85
4270001833	BR.HORM	18	18	2.5	2.5	6	2	1	1		1	39.10
4270002033	BR.HORM	20	20	2.5	2.5	6	2	1	1		1	40.25
4270002233	BR.HORM	22	22	2.5	2.5	6	2	1	1		1	41.85
4270002533	BR.HORM	25	25	2.5	2.5	6	2	1	1		1	43.40
4270002833	BR.HORM	28	28	2.5	2.5	6	2	1	1		1	47.40
4270003033	BR.HORM	30	30	2.5	2.5	6	2	1	1		1	47.85
4270003233	BR.HORM	32	32	2.5	2.5	6	2	1	1		1	49.30
4270003533	BR.HORM	35	35	2.5	2.5	6	2	1	1		1	61.90
4270004233	BR.HORM	42	42	3	3	6	2	1	1		1	78.05
4270005233	BR.HORM	52	52	3.5	3.5	6	2	1	1		1	86.70

### PRIPOJENIE 1/2" GAS - DĹŽKA 150 mm - Laser

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4270201233	BR.HORM	12	12	2.5	2.5	6	2	1	1		1	36.60
4270201433	BR.HORM	14	14	2.5	2.5	6	2	1	1		1	36.10
4270201633	BR.HORM	16	16	2.5	2.5	6	2	1	1		1	36.85
4270201833	BR.HORM	18	18	2.5	2.5	6	2	1	1		1	41.40
4270202033	BR.HORM	20	20	2.5	2.5	6	2	1	1		1	39.85

### PRIPOJENIE 1/2" GAS - DĹŽKA 600 mm - Laser

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4270602033	BR.HORM	20	20	2.5	2.5	6	2	1	1		1	44.90
4270602533	BR.HORM	25	25	2.5	2.5	6	2	1	1		1	52.35
4270602833	BR.HORM	28	28	2.5	2.5	6	2	1	1		1	56.30
4270603033	BR.HORM	30	30	2.5	2.5	6	2	1	1		1	53.35
4270603233	BR.HORM	32	32	2.5	2.5	6	2	1	1		1	54.65
4270603533	BR.HORM	35	35	2.5	2.5	6	2	1	1		1	74.20
4270604233	BR.HORM	42	42	3	3	6	2	1	1		1	86.10
4270605233	BR.HORM	52	52	3.5	3.5	6	2	1	1		1	94.55



**PRIPOJENIE 1/2" GAS - DĹŽKA 1000 mm - Laser**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4270A01433	BR.HORM	Ø14		2,5	2,5	6	2	1			1	64.40
4270A01633	BR.HORM	Ø16		2,5	2,5	6	2	1			1	66.10
4270A01833	BR.HORM	Ø18		2,5	2,5	6	2	1			1	89.55
4270A02533	BR.HORM	25	25	2,5	2,5	6	2	1	1		1	106.05
4270A03233	BR.HORM	32	32	2,5	2,5	6	2	1	1		1	75.55
4270A03533	BR.HORM	35	35	2,5	2,5	6	2	1	1		1	119.80

**VRTAČOVÝ GRANITOVÝ KRÚŽOK**
**PRIPOJENIE 1/2" GAS - DĹŽKA 350 mm - Laser**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4280001233	BR.GRANIT	12	12	2	2	6	2	1				37.45
4280001433	BR.GRANIT	14	14	2	2	6	2	1				39.00
4280001633	BR.GRANIT	16	16	2	2	6	2	1				38.30
4280001833	BR.GRANIT	18	18	2	2	6	2	1				40.15
4280002033	BR.GRANIT	Ø20	20	2		6	2	1				41.60
4280002233	BR.GRANIT	Ø22	22	2		6	2	1				46.60
4280002533	BR.GRANIT	Ø25	25	2		6	2	1				48.90
4280002833	BR.GRANIT	28	28	2	2	6	2	1				45.80
4280003033	BR.GRANIT	30	30	2	2	6	2	1				47.00
4280003233	BR.GRANIT	32	32	2	2	6	2	1				48.70
4280003533	BR.GRANIT	35	35	2	2	6	2	1				49.05
4280004233	BR.GRANIT	Ø42	42	3		6	2	1				58.80
4280005233	BR.GRANIT	Ø52	52	3		6	2	1				76.15

**VRTÁKY SO ŠEŠŤHRANNÝM UCHYTENÝM**
**JADROVÉ VRTÁKY GRANITE - KRÚŽOK - INDUKČNÝ**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
42705012	PIN HOLE I	12	12	2	2	6	2	1	HEXAG.		1	61.80
42705014	PIN HOLE I	14	14	2	2	6	2	1	HEXAG.		1	64.80
42705016	BR.GRTO.C	16	16	2	2	6	2	1	HEXAGONAL		1	65.30
42705018	BR.GRTO.C	18	18	2	2	6	2	1	HEXAGONAL		1	70.65
42705020	BR.GRTO. C	20	20	2	2	6	2	1	HEXAG.		1	70.10
42705022	BR.GRTO. C	22	22	2	2	6	2	1	HEXAG.		1	53.55

**JADROVÝ VRTÁK GRANIT ŠEŠŤHRANNÁ STOPKA - KRÚŽOK - Laser**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4230502533	BR.GRANIT	25	25	2	2	6	2	1	HEXAG. SACAT.		1	51.75
4230503233	BR.GRANIT	32	32	2	2	6	2	1	HEXAG		1	54.50
4230503533	BR.GRANIT	35	35	2	2	6	2	4	HEXAG		1.5	56.80
4230504233	BR.GRANIT	42	42	3	3	6	2	1	HEXAG		1.5	68.20

**VRTÁK NA GRANIT HEX - SEGMENTOVÝ - INDUCTION**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4230502210	BR. GRANIT	22	15	2.7	2.7	8	0	3	HEXAG. SACAT.		1.5	43.80
4230504710	BR. GRANIT	45	15	2.5	2.5	8	0	4	HEXAG		1.5	74.30
4230505210	BR. GRANIT	50	24	2.5	2.5	8	0	4	HEXAG		1.5	65.10
4230505710	BR. GRANIT	55	24	2.5	2.5	8	0	5	HEXAG		1.5	71.05
4230506210	BR. GRANIT	60	24	2.5	2.5	8	0	5	HEXAG		1.5	89.90
4230506710	BR. GRANIT	65	24	2.5	2.5	8	0	5	HEXAG		1.5	90.95
4230507210	BR. GRANIT	70	24	2.5	2.5	8	0	5	HEXAG		1.5	91.35
4230508210	BR. GRANIT	80	24	2.5	2.5	8	0	7	HEXAG		1.5	91.10
4230509210	DRILL BIT C	90	24	2.5	2.5	8	0	8	HEXAG		1.5	127.20
4230510210	DRILL BIT C	102	24	3.5	3.5	8	0	9	HEXAG		1.5	168.30

**VRTÁK HEX - SEGMENTOVÝ - INDUCTION**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
4230807010	BR. GRANIT	50	32	4.3	4.3	5.3	0	4	HEXAG		1.5	312.20

**VRTACIA KORUNKA DIAMANTOVÁ HEXAGONAL**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
43205010	BR.ELECT.M	10	0	2.5	0	4	0	0	,00		0	52.35
43205015	BR.ELECT.M	15	0	2.5	0	4	0	0	,00		0	55.30
43205020	BR.ELECT.M	20	0	2.5	0	4	0	0	,00		0	57.60
43205025	BR.ELECT.M	25	0	2.5	0	4	0	0	,00		0	60.75
43205030	BR.ELECT.M	30	0	2.5	0	4	0	0	,00		0	63.10
43205035	BR.ELECT.M	35	0	2.5	0	4	0	0	,00		0	66.00
43205040	BR.ELECT.M	40	0	2.5	0	4	0	0	,00		0	66.00
43205045	BR.ELECT.M	45	0	2.5	0	4	0	0	,00		0	77.60
43205050	BR.ELECT.M	50	0	2.5	0	4	0	0	,00		0	78.90
43205055	BR.ELECT.M	55	0	2.5	0	4	0	0	,00		0	84.35
43205060	BR.ELECT.M	60	0	0	0	5.5	0	0	,00		0	87.90
43205070	BR.ELECT.M	70	0	2.5	0	4	0	0	,00		0	100.55
43205080	BR.ELECT.M	80	0	2.5	0	4	0	0	,00		0	110.55



**VŔTACIA KORUNKA TYP VB HEXAGONAL**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
43235025	BR.MULTI	25	0	3	0	5	0	0	6,00		0	54.55
43235030	BR.MULTI	30	0	3	0	5	0	0	6,00		0	56.15
43235035	BR.MULTI	35	0	3	0	5	0	0	6,00		0	57.80
43235099	BR.MULTI	100	0	3	0	5	0	0	,00		0	195.95

**VŔTACIA KORUNKA TYP VB M14**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	c.hole	Notch	hrúb. c	Cena
42205006	BR. MULTI	6	0	0	0	0	0	0	,00		0	21.00
42205008	BR. MULTI	8	0	0	0	0	0	0	,00		0	21.20
42205010	BR. MULTI	10	0	0	0	0	0	0	,00		0	22.25
42205012	BR. MULTI	12	0	0	0	0	0	0	,00		0	22.55
42205016	BR. MULTI	16	0	0	0	0	0	0	,00		0	22.70
42205020	BR. MULTI	20	0	0	0	0	0	0	,00		0	24.35
42205025	BR. MULTI	20	0	0	0	0	0	0	,00		0	29.00
42205030	BR. MULTI	30	0	0	0	0	0	0	,00		0	34.00
42205035	BR. MULTI	35	0	0	0	0	0	0	,00		0	45.25
42205040	BR. MULTI	40	0	0	0	0	0	0	,00		0	47.35
42205050	BR. MULTI	50	0	0	0	0	0	0	,00		0	57.80
42205060	BR. MULTI	60	0	0	0	0	0	0	,00		0	62.80
42205065	BR. MULTI	65	0	0	0	0	0	0	,00		0	63.20
42205068	BR. MULTI	68	0	0	0	0	0	0	,00		0	64.05
42205075	BR. MULTI	75	0	0	0	0	0	0	,00		0	73.25

kód	descripció	Cena
42996100	ADAPTADC ADAPT.M16 A HEXAGONAL.L:100 MM MACHO-MACHO	29.90
42996220	ADAPTADC ADAPT. M16 A HEXAGONAL L.220 MACHO-MACHO	34.75
42997100	ADAPTADC ADAP.(BR.L50)SDS-PLUS A M16(M)L:100 MM	30.95
42997220	ADAPTADC ADAPTAD.SDS-PLUS A M16 (M) L:220 MM M-M	36.00
42998210	ADAPTADC BROCA GUIA 8X210 CONO A	18.15


 \*  
2020

**Jadrové vrtáky na suché vrtanie**
**Jadrové vrtáky do muriva - Pripojenie M16 - L 50 mm - Laser**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	#N/A	výška	b	nº seg.	závit	Notch	thick. c	Cena
42403032	PIN HOLE I	Ø32	16	3	0	8	0	3	M16			41.70
42403042	DRILL BIT S	40	16	3	0	7	0	3	M16		0	39.00
42403052	DRILL BIT S	52	24	3	0	7	0	3	M16		0	39.85
42403057	DRILL BIT S	57	24	3.5	0	7	0	3	M16		0	39.85
42403068	DRILL BIT S	67	24	3.5	0	7	0	4	M16		0	39.85
42403072	DRILL BIT S	72	24	3.5	0	7	0	4	M16		0	43.15
42403082	DRILL BIT S	Ø82	24	3.5	0	8	0	4	M16			70.45
42403092	DRILL BIT S	Ø92	24	3.5	0	8	0	4	M16			77.10
42403112	DRILL BIT S	Ø112	24	3.5	0	8	0	5	M16			96.35
42403127	DRILL BIT S	127	24	3.5	0	7	0	6	M16		0	79.95
42403132	DRILL BIT S	Ø132	24	3.5	0	7	0	6	M16			120.55
42403152	DRILL BIT S	152	24	4	0	7	0	7	M16		0	75.45


**Jadrové vrtáky do muryva - Pripojenie M16 - L 150 mm - Laser**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	závit	Notch	thick. c	Cena
42402032F	DRILL BIT N	32	15	3.2	3.2	6	2	3	M16		1.5	35.30
42402042F	DRILL BIT N	42	15	3.2	3.2	6	2	3	M16		2	36.20
42402052F	DRILL BIT N	52	24	3.7	3.7	6	2	3	M16		2	39.90
42402057F	DRILL BIT N	57	24	3.7	3.7	6	2	3	M16		2	41.60
42402062F	DRILL BIT N	62	24	3.7	3.7	6	2	3	M16		2	41.60
42402068F	DRILL BIT N	68	24	3.7	3.7	6	2	4	M16		2	46.95
42402072F	DRILL BIT N	72	24	3.7	3.7	6	2	4	M16		2	46.50
42402082F	DRILL BIT N	82	24	3.7	3.7	6	2	4	M16		2	52.25
42402092F	DRILL BIT N	92	24	3.7	3.7	6	2	4	M16		2	56.25
42402102F	DRILL BIT N	102	24	3.7	3.7	6	2	5	M16		2	67.45
42402107F	DRILL BIT N	107	24	3.7	3.7	6	2	5	M16		2	70.05
42402112F	DRILL BIT N	112	24	3.7	3.7	6	2	5	M16		2	73.60
42402122F	DRILL BIT N	122	24	3.7	3.7	6	2	5	M16		2	78.10
42402127F	DRILL BIT N	127	24	3.7	3.7	6	2	5	M16		2	84.15
42402132F	DRILL BIT N	132	24	3.7	3.7	6	2	6	M16		2	88.55
42402142F	DRILL BIT N	142	24	3.7	3.7	6	2	6	M16		2	92.05
42402152F	DRILL BIT N	152	24	3.7	3.7	6	2	7	M16		2.5	93.05
42402162F	DRILL BIT N	162	24	3.7	3.7	6	2	8	M16		2.5	116.70
42402202F	DRILL BIT S	200	24	4.7	4.7	6	2	9	M16		2.5	251.05
42402225F	DRILL BIT S	225	24	4.7	4.7	6	2	9	M16		2.5	217.80


**Jadrové vrtáky do muriva - Pripojenie M16 - L 60 mm - Laser**

kód	PIN HOLE IN	Ø	dĺžka	hrúb.1	hrúb.2	výška	b	nº seg.	závit	Notch	thick. c	Cena
42603068	BR.MAMP	68	24	3.5	0	8	0	3	,00		0	35.75
42603082	BR.MAMP	82	24	3.5	0	8	0	4	,00		0	41.10



2020 \*